



Where there is a need, Dana finds a better way.

A new era of mobility is upon us.

Emissions regulations and government policies are manifesting at an ever-increasing pace, and visions of vehicles that reduce operating costs while enhancing productivity and safety are accelerating the need for alternative propulsion solutions.

For over 20 years, our group of highly focused engineers has been dedicated to research and development of new technology solutions aimed at electrification.

We have built a broad portfolio of award-winning, patented technologies, making us a leader in electrification.

Why should you rely on Dana? Solutions designed, engineered, and manufactured for maximum efficiency.

We approach electrification with a trained eye and an insightful, innovative perspective, utilizing market synergies to provide an advantage in electrifying offerings across multiple applications.

A component is only as good as the system in which it operates. That's why we take a systems-focused approach, seamlessly integrating our components into complete electrified systems.

We have an in-house, multi-disciplinary team of system solutions engineers who provide turnkey turnkey software and controls for our entire portfolio of technologies. This in-house knowledge and integration produces solutions that provide enhanced performance, packaging optimization, and reduced system weight. All of which results in savings to your bottom line.





OFF-HIGHWAY VEHICLES



LIGHT VEHICLE





For additional payload or battery capacity



Reduced energy consumption means increase range and cost savings



Improved vehicle integration for optimized packaging space



COOLING SOLUTIONS Capability to integrate

Off-Highway Drive and Motion Systems As an innovation leader in off-highway drive and motion systems, Dana continuously improves the performance and efficiency of vehicles and machines worldwide. We aim to be the global technology pacesetter in efficient power conveyance and energy-management solutions.

Enhanced Brand Portfolio Off-Highway brands

Drivetrain Systems













Motion Systems











Gears and Shifting Solutions



GRAZIANO**





Thermal Management





Sealing





Leading the Charge in Vehicle Electrification

Dana is a leading drivetrain and motion systems provider for electrified off-highway applications.

Supported by a legacy of innovation in conventional drivetrains, Dana is at the forefront of integrating mechanical and electrical components for alternative propulsion applications. We embrace evolution to be a step ahead in supporting new applications as they emerge and collaborating with customers as they develop tomorrow's vehicles.

Electrification. **Delivered.**™

Fully integrated e-Drive and e-Motion systems

e-Drive Systems





e-Motion Systems

Electric and Hybrid e-Drive Systems









Off-Highway Segments

Dana leverages our global expertise to engineer the most advanced, customized product solutions for developed and emerging markets. Our drive and motion products serve a wide range of demanding industries, including applications for equipment with wheel and track drives as well as stationary machines.



Industrial



Bulk Materials

Dana has an extensive range of gearboxes with torque ratings of up to 3 million Nm. Our qualified, experienced engineers provide optimum solutions for heavy-duty applications, and our service team delivers support for the entire life cycle after delivery.

Brevini™ gearboxes have been used in heavy-duty operations from mines to steel production for more than 50 years. Our portfolio of advanced technologies has been engineered to support increased productivity and reliability, improved operator safety, and reduced total cost of ownership.



Mobile



Agriculture

Our products are engineered to support increased crop yields, optimized harvesting operations, lower emissions, improved operator safety and comfort, and reduced total cost of ownership while complying with evolving emissions standards.



Industrial and Stationary Equipment

Heavy Industry and Steel

Our range of gearboxes and hydraulic products offers reliable solutions for all equipment within the industrial and stationary sectors.

Our products enable high productivity and low maintenance costs backed by our aftermarket support and service.





Material Handling

Our customized drive and motion systems enhance material-handling vehicle performance, productivity, and power. Spicer* transmissions, axles, and driveshafts are designed to work seamlessly in any vehicle to allow operators to engage, lift, and transport heavy loads with more precision.



Marine


Brevini™ planetary gearboxes have supported the exacting specifications and certifications of winches and cranes in the marine and offshore market for many years. We also offer a wide range of fluid power solutions that deliver safe and reliable solutions for OEM applications.





Mining

Dana designs complete drive and motion systems to meet increasing industry demands for automation and productivity, coupled with high safety standards. Our solutions are specially engineered to maximize vehicle performance in extremely harsh environments.



Environment - Renewable Energy Brevini gearboxes for vaw and pitch drives are use

Brevini[™] gearboxes for yaw and pitch drives are used by many of the major wind turbine OEMs. We provide engineering input offering sustainable and reliable solutions to meet customer requirements, while our service division has extensive experience in optimizing the performance of gearboxes over the long term.





Construction and Forestry

Integrated drive and motion systems from Dana enhance construction equipment performance, efficiency, and productivity with a range of solutions for vehicles ranging from 3 to 50 tonnes (4 to 55 tons). Spicer* axles, wheel drives, transmissions, driveshafts, and Brevini* motion products are integrated with the most advanced technologies for improved machine operation on any job site, in any condition.



Plastic and Rubber

Brevini™ and PIV™ brand products include single- and twin-screw extruder drives, rack and pinion drives, rack and pinion drives for injection molding machines, planetary gearboxes, and helical and bevel helical gearboxes.





Drive and MotionSolutions

The drivetrain solutions you need, backed by global expertise and support.

Spicer® Axles and Drives

Spicer® axles are engineered to improve performance, tractive effort, and operator comfort in harsh working environments while also supporting on-road mobility through high torque density, high reliability, and robustness.

Our power-dense designs deliver maximum performance in a compact package that improves reliability, durability, stability, and safety.

Dana has a broad range of dedicated solutions matching the different application needs like torque density, specific duty cycle, braking performances, safety standard and robustness.



Spicer® Driveshafts

Built to withstand the roughest terrains and heaviest loads, Spicer driveshafts efficiently and reliably manage input torque to improve productivity, reduce operating costs, and simplify maintenance. They can be customized with a complete set of end fittings, flanges, and service options for any requirement.



Spicer® Transmissions with Electronic Controls

From basic gearboxes to leading-edge powersplit configurations, Dana supplies a wide range of powerful, efficient transmissions and electronic controls that improve fuel efficiency, handling, tractive effort, and operator comfort while reducing noise and ensuring easy maintenance.

Our advanced electronic controls provide multiple smart operating modes that optimize productivity, monitoring and efficiency at every stage of the work cycle.



Graziano™ Custom Gears and Shifting Solutions

Our custom-designed high-precision gears and shafts improve the performance, reliability, and durability of final reduction components. We also support technically challenging and complex vehicle applications by leveraging our engineering expertise to supply customized crown wheel and pinion sets.

We offer a range of heavy-duty synchronizers and other shifting solutions that help vehicle and transmission manufacturers overcome the limited availability of engineering resources while giving vehicle operators better control, shifting performance and improved productivity.

Additionally, we leverage our in-house design, prototype, and validation capabilities to produce custom drive assemblies for highly specialized applications with accelerated development timelines.





Brevini™ Motion Systems

We serve OEMs as a single supplier for the wide variety of components that maximize the productivity and efficiency of vehicle work functions.

Our comprehensive selection of Brevini™ motion products includes slewing drives, winches, and a complete range of field-proven gear solutions such as gear units, gear motors, and gearboxes. Additionally, we provide full array of reliable hydraulic pumps, motors, valves, powerpacks and controls.





e-Drive and e-Motion Solutions


We leverage our complete portfolio of e-Propulsion Systems — e-Axles, e-Drive Units, and e-Hub Drives — as well as e-Powertrains, e-Motion Systems, and electrodynamic modules to enable vehicles to meet the highest standards for efficiency, reliability, and performance.

We can help OEMs adapt current ICE-driven applications with effective, low-risk, quick-to-market drive solutions today as we plan for future vehicle configurations with fully integrated systems that deliver superior productivity while reducing manufacturing complexity and total cost of ownership.


System Solutions

Vehicle intelligence, autonomous driving systems, Al, electrodynamics, telematics, cybersecurity, and other digital innovations are enabling quantum leaps in vehicle performance and efficiency.

Dana's multi-disciplinary team of system solutions engineers provides turnkey solutions for electric vehicle integration by collaborating with customers. Our holistic approach helps OEMs seamlessly integrate transformative digital technologies with Dana's proven drive and motion systems for the next generation of vehicles.







Spicer® Axles





Tractors



Spicer® Independent Front Suspension Axle

Range		
970	980	990



Spicer® Standard Suspension Axle

Range			
730	740	750	770



Spicer® Portal Axle

Range		
P71	P72	P73



Spicer® Modular Axle

	F
P73	N

M20 M30 M40 M50 M60 770

Telehandlers



Axle

Range	
N07	N09



Spicer® Rear Standard Suspension Axle

Range		
730	740	750

Adjustable Axle

Range
733



Spicer® Rear

Range
733

Mining



Spicer® Planetary

Non-S	teering Axle
Range	

Range	Э			
182	183	17D	20D	53R

Mining Trucks


Spicer® Planetary Non-Steering Axle

Range 182 183 17D 20D 53R

Spicer® Planetary Non-Steering Axle

Drill Rigs

111 112 113 114 115 116 123 125 126



Spicer® Planetary

Steering Axle

Combines and Harvesters



Range	
N07	N09



Range			
730	740	750	





Spicer® Planetary Steering Axle

211 212 223 213 214	Range				
	211	212	223	213	214

Material Handling



Small Forklifts & AGVs



Spicer® Planetary Steering Axle



Rough Terrain Cranes



Spicer® Planetary Steering Axles

Range	
246	l

Container Handlers



Spicer® Planetary Non-Steering Axle

Range		
145	147	

Ground Support Equipments



Spicer® Planetary Non-Steering Axle

Range				
111	112	123	113	

Forklift Trucks



Spicer® Planetary Non-Steering Axle

Range					
137	138	139	144		



Spicer® Planetary Steering Axle

Range					
211	212	213	223	214	246

Construction & Forestry

Compact Wheel Loaders




Spicer® Planetary Non-Steering Axle

Range					
109	111	112	123	113	114

Wheeled Excavators



Spicer® Planetary Steering Axle



Spicer® Planetary Non-Steering Axle

	Range			
	111	211	112	212

Motor Graders



Spicer® Bogie Axle

Range					
GA10	GA14	GA17	GA15	GA20	FG65

Large Wheel Loaders



Spicer® Planetary Non-Steering Axle

Ì	Range					
	115	116	125	126		

Telehandlers



Spicer® Planetary Steering Axle

Range					
211	212	223	213	214	

Forestry Applications



Spicer® Rear Axle

	Range			
r	113	114	115	116

Single Drum Rollers



Spicer® Planetary Non-Steering Axle

	_
3 194	
	194

Spicer® Wheel and Track Drives

Agriculture



Construction & Forestry

Sprayers



Spicer Torque-Hub™

or delies	000
Range	

(*) = under development

Windrowers



Spicer Torque-Hub™ C0 Series



Spicer Torque-Hub™

HW5 Seri



Compact Track Loaders



Spicer Torque-Hub™ CT Series

Range			
CT05	CT07	CT11	CT17

Forestry Applications



Spicer Torque-Hub™ RCT Series

Range		
RCT9083	RCT9103	RCT9133

Material Handling



CT11 C016(*) C021 C024 C030(*) C036



Spicer Torque-Hub™ **RCT Series**

Range		
RCT9083	RCT9103	RCT9133



Spicer Torque-Hub™

Spicer Torque-Hub™ PHC and TH Series

510

Crawler Cranes





CTU Series	
Range	

CTU3500.1 CTU3700.1



Spicer Torque-Hub™ **RCT Series**

Range		
RCT9083	RCT9103	RCT9133

MEWPs



Spicer Torque-Hub™ H Series Hydraulic

4H 7H 8H 11H 13H 18H



Spicer Torque-Hub™ eS-AW Series Electric

Spicer Electrified™ e-Drive Drop Box, Spindle and Hub Output

Range				4//	Range				
eSAW04	eSAW07	eSAW11	eSAW13	eSAW17	eS04D	eS05D	eS08D	eS10S	eS10H

Range			

Road Equipment



Range

RCT7102

Spicer Torque-Hub™ **RCT Series**





Spicer Torque-Hub™ CTU Series



Track Undercarriages

Spicer Torque-Hub™ **CTU Series**



Spicer Torque-Hub™ **RCT Series**

150							The state of the s	
Range					H	Range		
CTU3150.1	CTU3200.1	CTU3300.1	CTU3500.1	CTU3700.1		RCT9083	RCT9103	RCT9133

Mining





Spicer Torque-Hub™ **CTU Series**





Spicer Torque-Hub™



RCT Series

Spicer® Transmissions





Telehandlers



Powersplit Transmission

Range HVT1



Powershift Transmission

Range PS09 PSR09 T/VDT12000

Sprayers



Powersplit Transmission

Range HVT2

Construction & Forestry




Wheel Loaders



Hydrostatic Transmission

Range			
312	315	318	319





Hydrostatic Double Speed

П	Range	
	358	367

Telehandlers







Powershift Transmission

Range	
TE32	TE50



Powershift Transmission











Powersplit Transmission

Range HVT2

Mobile Elevated Work Platforms



Hydrostatic Transmission

Range 301



Powershift Transmission





Powersplit Transmission

Range HVT1



Hydrostatic Transmission

Range 318



Hydrostatic Transmission

Range 319



Hvdrostatic **Two-Speed Transmission**

Range		
358	367	368

Motor Graders

Forestry Equipments



HVT2

Powersplit Transmission

Wheeled Excavators

Two-Speed Transmission



611	Range	
100	342	343
tatic		

Hydrostation Transmission

TMG14

Powershift Transmission


Material Handling





Powershift Transmission

Powershift Transmission





Powersplit


Transmission

Range T/TE14 TE17 TE30

Powershift

Transmission

Container Handlers



Powershift

Transmission



Powershift

Range

Transmission

Rough-Terrain Cranes


Mining

Underground Mining Loaders and Trucks









Underground Mining Drill Rigs

Range

T/TE14

Powershift Transmission

T20000 24000

Range



Powershift Transmission

Range		
T/TE14	TE32	TE50

Powershift Transmission



Powershift

Utility Vehicles

Transmission

Range



Transmission

T12000 T20000 24000 T/T	Range			Rang
112000 120000 21000 171	T12000	T20000	24000	T/TE



Mining Electrified



Powershift Electrified Transmission



Long Drop **Powershift Transmission**





e-Powershift Transmission

Range eSP502

Graziano™ Custom Gears and Shifting Solutions

Synchronizers



Graziano™ Synchronizer DC 95/100



Graziano[™] Synchronizer



Graziano™ Synchronizer TC 102/110/118



Graziano™ Synchronizer

Gears and Shafts



Graziano™ Gears



Graziano™ Shaft

Ring Gears



Graziano™ Ring Gears

Powershift Clutches



Graziano[™] Powershift Clutches



Graziano™ Powershift Units

Bevel Sets



Graziano™ Crown Wheel and Pinion



Graziano™ Bevel Gear

Custom Gears



Fairfield® Custom Gears

Drive Systems

Spicer® Driveshafts

Tractors



Spicer® SPL55



Spicer® Wing™ Series 8.5C



Spicer® Centered Double Cardan



Spicer® Double

Combine Harvesters

Universal Joint 93B35 Wing™ Series 7C

Reach Stackers



Spicer® Wing™ Series 6C



Wing[™] Series 7C

AGVs



Spicer® Wing™ Series 5C

Forklifts



Spicer® Wing™ Series 5C

Telehandlers



Spicer® Double Universal Joint 82B30



Spicer® 10-Series

Motor Graders



Spicer® Wing™ Series 7C

Compact Wheel Loaders





Double Cardan 2015-CDC

Spicer® Centered Spicer® SPL55

Wheeled Excavators Forestry Applications



Spicer® Wing Series

Spicer[®] Wing[™] Series 9C

Large Wheel Loaders



Compact Plus

Underground Mining Loaders



Spicer® 10-Series 1410







7C with Bearing Support

Spicer® Wing™ Series Spicer® Wing™ Series

Drill Rigs



Spicer® Wing™ Series 9C

Mining Trucks



Spicer® Wing™ Series 14C

Motion Systems

With global expertise in the design and manufacturing of high-efficiency technologies for industrial and stationary equipment applications, Motion Systems fully integrates into Dana offer Brevini™ gearboxes, winches and hydraulic solutions, PIV™ extruders drives, GWB™ industrial driveshafts, Fairfield® custom gears. Supported applications include on- and offshore equipment, green technologies, mining, heavy industries, and earthmoving.

Brevini[™] Pumps



Axial Piston Pumps, Variable Displacement, Closed Loop

Range	Displacement [cc/rev]	Max Pressure [bar]
MD10V	14-64	250
HD1	55	450
S6CV	75-128	400



Axial Piston Pumps, Variable Displacement, Open Loop

Range	Displacement [cc/rev]	Max Pressure [bar]
S5AV	32-93.8	350
H1V	54.8-225.1	350



Axial Piston Pumps, Fixed Displacement, Open Loop

Range	Displacement [cc/rev]	Max Pressure [bar]
H1C	6.1-225.1	350
SH11C	10.3-178.1	350



Gear Pumps, Fixed displacement, Open Loop


Range	Displacement [cc/rev]	Max Pressure [bar]
OT series 1 - 2 -3	0.73 – 90	270
Hercules gr 2	4.1 – 30	270
Silent plus gr 2	4.1 – 30	250





Bankable Valves

Range	Max Flow [l/min]	Туре
CDC3 -CD3M - CD3	80	ON/OFF
CX3 - CXQ3 - CXDH - CFS3	55	Proportional





Pre-Compensated Directional Control Valves

Range	Inlet Flow [I/min]:	Max Pressure [bar]
HPV 41- 77-310	160-250-600 ^(*)	370-370-370

(*) = per Inlet Section



CETOP Valves

Range	Inlet Flow	Max Pressure [bar]
Size 2 (NG4) – Size 8 (NG25)	up to 600 [I/min]	up to 400 bar

Brevini[™] Motors



Axial Piston Motors, Variable Displacement, Bent Axis

Range	Displacement [cc/rev]	Max Pressure [bar]
SH7V/VR	61-216	430
SH9V	62-216	430



Axial Piston Motors, Variable Displacement, Swashplate

Range	Displacement [cc/rev]	Max Pressure [bar]
B5VR	25-45	400



Axial Piston Motors, Fixed Displacement, Bent Axis

Range	Displacement [cc/rev]	Max Pressure [bar]
H1C	6.1-225.1	430
SH11C/CR	10.3-178.1	430



Orbital Motors, Gerotor and Roller

Range	Displacement [cc/rev]	Max Pressure [bar]
BGM, BG, BR	13-400	225, 165, 175
HR, HT	80-500	210
AR, BRZV	50-400	210-175



Gear Motors, Fixed Displacement

Range	Displacement [cc/rev]	Max Pressure [bar]
OT series 1 - 2 -3	0.73 – 90	270
Hercules gr 2	4.1 – 30	270

Brevini[™] **Power Units**



Mini Powerpacks

Range	Туре
MC	With 4 cavities for single and double acting circuits
FP	With flexible design thanks to multiple valve seats. Several circuits layout available
DT	Custom Mini Powerpack for presses / telescopic dock levellers
MK	Custom Mini Powerpack for hanged/swing lip dock levellers
	dock levellers



Motorpumps

Range	Туре
EP	With Ø115 motors and gr1 Gear Pumps
MP	With Ø80 motors and gr0.5 Gear Pumps



Micro Powerpacks

Range	Туре
MR	Micro Powerpack for space demanding applications, 3 cavities for single and double acting circuits
MW	Micro Powerpacks for double acting circuits with reversible pump

Motion Systems

Brevini[™] Planetary Gearboxes



S-Range

Range	Nominal Torque [Nm]	
S300-S20000	34,000-2,170,000	



Industrial Slewing Drives

Range	Nominal Torque [Nm]
RPR030-RPR2050	5,000-24,000
SLS300-SLS850	34,000-200,000



Industrial and E-Range Planetary Gearboxes

Range	Nominal Torque [Nm]
E10-E260	1,300-25,000
EM1010-EM1320	1,000-24,000

Brevini[™] Helical and Bevel Helical Gearboxes



Helical Bevel Helical Gearbox

Range	Nominal Torque [Nm]
E2H-E3H- E4H-E3B- E4B-E3C-	10,000-290,000



Posired[™] 2

Range	Nominal Torque [Nm]	Range
E2H-E3H- E4H-E3B-	10.000-290.000	PC-PD-PE-PLC-P 60 - 91
E4B-E3C- E4C 18 - 56	11,111 200,000	PB / PLB 16 - 45



Posired™ N

Range	Nominal Torque [Nm]
ND-NE 18 - 56	8,200-286,000



Posired[™] TS

Range	Nominal Torque [Nm]
TS18 - TS63	8,200-400,000

Brevini[™] Plano Helical Gearboxes



Nominal Torque [Nm]

340,000-1,100,000 5,700-113,000

Range	Nominal Torque [Nm]
ILC14 - ILC25	3.100-22.800

Brevini[™] Gearboxes



Range	Power [Kw]
ML32 - 52	10-100
B580 - 602	30-55
RD33 -52	6-12

Brevini[™] Gearmotors



High Power



Range	Nominal Torque [Nm]
SL2PLB85016 SL2PLB200031	90,000-2,170,000



Posiplan

Range	Nominal Torque [Nm]
PH, BPH 13-28	3,900-35,000



Gearmotors

Range	Nominal Torque [Nm]	
M, N, K, D 00-97	50-18,000	

Brevini[™] Winches



Hoisting Winches

Range

DW 050-090

BWE 015-160



Recovery Winches

Range	Max Line Pull at First Layer [kg]
BWT 10.000-30.000	10,000-30,000



Winch Drives

Range	Max Output Torque [Nm]	
PWD 2100-31100	10,000-110,000	
SLW 300-850	85,000-190,000	
SMW 1200-3500	300,000-850,000	
RCW 908-913	80,000-130,000	

GWB[™] Industrial Driveshaft





Driveshafts for Industrial Applications

Range	Torque Range Tcs [Nm]	Flange Diameter [mm]
687/688-598	35 up to 21,500	00-225 / 600-1,300
687-688	2,400-35,000	100-225
587	43,000-57,000	225-285
390/392/ 393/492	60,000-1,170,000	225-550
498/598	210,000-15,000,000	600-1,200

Max Line Pull at First Layer [kg]

500-900

1,500-16,000



Brevini[™] Pump Drives



Range	Nominal Power [Kw]
BZ265	110-130
BZ290	170-190
BZ340	220-240
BZ470	380-480

PIV[™] Extruder Drives







Posirex

Special Gearboxes for Plastic & Rubber Positwin

Range	Nominal Torque [Nm]
XC-XD-XE 16 - 80	5,100-720,000

Range	Centre Distance	Torque / Shaft [Nm]
15B2N 146B2N	15-146	40-35,000

Fairfield Custom Drives









Jacking System Drives

Tram System Drives

Transfer Case

Custom Drive Components

Range	Max Jacking Torque [Nm]
S60A-S2000	82,000-2,260,00

Electrification Capabilities

Dana's comprehensive portfolio of drive and motion technologies helps OEMs efficiently transition toward electrification.

Our multi-disciplinary team of engineers develops turnkey solutions ranging from plug-and-play components to fully integrated systems.



EV Components









Low-Voltage Motors

Low-Voltage Inverters

On-engine Generators

High-Voltage Traction Systems

e-Drive











High-Voltage Motors

High-Voltage Inverters

e-Software

High Efficiency Transmission High Efficiency Transmission



e-Powershift Transmission



e-Powershift Transmission

e-Axle Compact

e-Axle Heavy

e-Hub Drive Compact

e-Hub Drive Heavy

Electronics and Mechatronics

e-Motion



e-Slew Drive





Electronic Control Units





Force Sensors

Position Sensors





CTIS

Inclinometer

Angle Transducer

System Solutions Dana is a world-class collaborator with OEMs in delivering innovative, best-in-class engineering solutions. With resources located near our customers, we can leverage our core competencies in systems development to produce ground-breaking technologies that boost business performance.

Our systems approach is combined with our industry-leading portfolio of advanced technologies to help OEMs maximize the value of their offerings and find a better way forward.

System Thinking


We adopt a **holistic perspective** to systems that fortifies our offerings


System Contents

We develop
systems
by using our
deep portfolio
of innovations
to address our
customers'
needs

Knowledge sharing

Our culture
of continuous
improvement
enables our
systems
engineering
teams to share
best practices
across markets
and geographies





Think Why, Think Wider, Think Systems

22

Global Strength

One of the ways we create value is by **positioning** our technical and manufacturing resources where customers need us globally.

Dana's worldwide leadership is the key to serving clients around the world.

We bring our global expertise to the local level with technologies customized to individual requirements through a network of strategically placed technology centers, manufacturing locations, and distribution facilities.

Our strength is being over six continents thanks to our global logistic network.

Today, that's **33 countries** on **six continents**.

To help customers achieve success, top-tier suppliers must have a global perspective that can be adapted to meet local requirements and end-user expectations.



Market-Driven Innovation

Off-Highway Performance Expectations

Safety

Productivity

Maneuverability

Durability

Serviceability

Total Cost of Ownership

About Dana Incorporated

Dana is a leader in the design and manufacture of highly efficient propulsion and energy-management solutions for all mobility markets across the globe.

The company's conventional and clean-energy solutions support nearly every vehicle manufacturer with drive and motion systems, electrodynamic technologies, thermal, sealing, and digital solutions.

About Dana Off-Highway Drive and Motion Systems

Dana delivers fully optimized solutions to customers in the construction, agriculture, material handling, mining, and industrial markets.



Dana.com/oh Dana-industrial.com/contact-us

Application Policy

Capacity ratings, features, and specifications vary depending upon the model and type of service. Application approvals must be obtained from Dana; contact your representative for application approval. We reserve the right to change or modify our product specifications, configurations, or dimensions at any time without notice.

